

Additional distributor panels for main electrical connection


These distribution boards will be charged in addition to the connection price. Unfortunately, we are unable to offer a credit note for distribution board 4. All electric distributions are fitted with a master switch and circuit breakers with tripping characteristic B. Customer-specific main distribution systems can also be arranged upon request.

Menge	Pos.-Nr.	E-Verteilung	Beschreibung	EUR/Stk.
	32602	Module 2	up to max. 15 kW, 5 AC outlets (16 A), 1 AC outlet (6 A) with RCD 30 mA (residual current device)	190,00€
	32603	Module 3	up to max. 20 kW, 9 AC outlets (16 A), 1 AC outlet (6 A) with RCD 30 mA (residual current device)	450,00€
	32605	Module 5	2 CEE outlets 16 A (230 V / 400 V, 50 Hz three-phase connections) with RCD 30 mA (residual current device)	290,00€
	32606	Module 6	2 CEE outlets 16 A (230 V / 400 V, 50 Hz three-phase connections) without RCD 30 mA (residual current device), (circuit breaker with tripping characteristic C), For machine connection.	150,00€
	32607	Module 7 from 30 kW	2 CEE outlets 32 A 16 A (230 V / 400 V, 50 Hz three-phase connections) with RCD 30 mA (residual current device)	350,00€
	32608	Module 8 from 30 kW	2 CEE outlets 32 A 16 A (230 V / 400 V, 50 Hz three-phase connections) without RCD 30 mA (residual current device)	190,00€
	32609	Module 9 from 30 kW	up to max. 40 kW, 9 AC outlets (16 A), 1 AC outlet (6 A), 1 CEE outlet 16 A (230 V / 400 V, 50 Hz three-phase connections) with RCD 30 mA (residual current device)	490,00€
	32610	Module 10 from 30 kW	up to max. 40 kW, 18 AC outlets (16 A), 2 AC outlets (6 A), 2 CEE outlets 16 A with RCD 30 mA (residual current device)	590,00€


Explanation for panel boards for main electrical connection

Below you will see descriptions and schematic representations for distribution board 1, included with a 3 kW main electrical connection, and for distribution board 4, included with main electrical connections 5 kW up to 15 kW. If a CEE 32 A adapter is ordered together with a main electrical connection up to 15 kW prior to the commencement of the event, the subsequent ordering of distribution board 4 (during the stand set-up period) will result in costs of EUR 190.00 per unit.

Up to 3 kW max.



Up to 15 kW max.



Place, Date

Company stamp and legally binding signature of exhibitor

Electricity connection and supply conditions

1. Please use form 3.1 to order main connection. Orders and stand diagrams must be submitted no later than six weeks prior to the beginning of stand assembly to Messe München GmbH, Technical Exhibition Services Division (TAS). No guarantee can be given for the timely completion of installations applied for after this deadline.
2. A surcharge (item no. 32853) amounting to EUR 150.00 will be raised for any orders / plans submitted later than five calendar days before the start of the official set-up period. Moreover, MEV reserves the right to raise a surcharge for any orders received after the given closing date. Electrical installations are provided on a rental basis only.
3. Power supply lines will be installed in utility conduits wherever possible, from which they will be branched to the power supply transfer point—as ordered via form 3.1 page 3—at ground level. Electrical installations within the stand and downstream of the transfer point between Messe München GmbH and the exhibitor may be carried out by the exhibitor's own electricians or specialist electrical contractors (see also form 3.1, page 3). Only service partners officially accredited by Messe München GmbH the right to use the utility conduits.
4. **The ordering party declares that he and the companies appointed by him will, during the stand setup period, the duration of the fair and the stand dismantling period, comply with all statutory and insurance-related requirements. These include the provisions set out in the BayBO, TRBS 1201, VDE 0100, BGV A1, BGV A 3 and BGI 608 as well as the special terms laid down by Messe München GmbH. Work on electrical installations may only be carried out by qualified electricians in accordance with TRBS 1201. All distributors used must be protected via a master switch and a TYPE A $\Delta n \leq 30$ mA RCD (residual current device). If frequency converters, alternators without transformers, EMC filters or other electronic components capable of generating stationary, variable or transient leakage current or DC residual current in excess of 6 mA are connected, TYPE B (SK) or B+ RCDs, or for 2-pin electrical appliances TYPE F RCDs are to be used. Serious violation of the regulations (including DIN VDE 0100) will result in the power supply being cut off. In such cases, no refund shall be due on the costs of installations already completed. Charges for the main connection will be invoiced in every case.**
5. All exhibition stand electrical installations will be inspected and approved by an expert for compliance with the regulations currently effective in Munich. Any deficiencies found are to be immediately rectified. Trusses with lighting systems are to be equipped by the system installer with additional protective potential equalization (copper, min. 10 mm²) as per VDE 0100 part 711. The transfer point on the hall floor can be ordered via this form (3.1). The equipotential bonding connection between this transfer point and the truss with lighting system may be carried out by the exhibitor's own electricians or be ordered for execution by the accredited electrical contractor.
6. **The list of dimensions and tolerances supplied to the exhibitor or ordering party should be reviewed, countersigned and returned as soon as possible. This list will be subsequently used for invoicing purposes. Grievances pertaining to the scope of products and services provided must be addressed to Messe München GmbH's TAS division prior to stand disassembly in order to allow the opportunity for an appropriate assessment. Subsequent complaints regarding the scope of products or services will not be acknowledged.**
7. Repair work conducted on equipment not installed by Messe München GmbH will no longer be carried out by Messe München's service partners for insurance reasons. A voluntary decision will be taken by the service partners in emergencies, but any work conducted will be invoiced according to actual cost.
8. Cancellations are only possible up to 14 calendar days prior to the start of the general stand setup period. The services provided up until this point in time are to be remunerated. After this time, Messe München GmbH is entitled but not obliged to provide the services ordered. The additionally provided services are to be remunerated. Any amendment thus constitutes a cancellation of the original order and placement of an additional order.
9. The exhibitor is obliged to disconnect the power supply daily after the exhibition closes, using the master switch incorporated in the main connection. Circuits for devices needing a continuous current supply (separate outlets and circuits required) are exempt. The exhibitor shall be fully liable for the electrical installation and use thereof within his stand area.
10. **For safety reasons, Messe München GmbH reserves the right to switch off the entire power supply to exhibitors once the event has ended.**
11. The main electrical connection ordered is already available for use during the stand set-up period.
12. MunichEpo Veranstaltungen GmbH's General Terms of Contract for Exhibitor Services are a constituent part of any contract concluded.