

Main Electrical Connection Open Air

Closing date: 6 weeks before the start of the official set-up

Exhibitor
VAT no.
Street / P.O.Box
Country, Town, Postal Code

Messe München Halls A5/A6 October 15 – 17, 2019	
Hall	Stand No.
Contact	
Tel with country + area code and ext.	Fax with area code and ext.
E-Mail	

This form is to be used to order mains electricity supply in the outdoor exhibition area or loading yards. You can supply your own primary power distribution system. Customer-specific distribution systems are available on request. **We hereby order—in the name and for account of the registered main exhibitor—subject to the conditions of contract detailed on page 4. Orders in the name of co-exhibitors are not possible.**

Item no.	Please mark	Main connection	Incl. distribution board 4 or CEE adapter – pls mark box		EUR/Unit
32403	<input type="checkbox"/>	3 kW (230 V/ 400 V, 50 Hz)	Dist. board 4 (see page 2) or	CEE 32 A	460,00
32405	<input type="checkbox"/>	5 kW (230 V/ 400 V, 50 Hz)	Dist. board 4 (see page 2) or	CEE 32 A	650,00
32410	<input type="checkbox"/>	10 kW (230 V/ 400 V, 50 Hz)	Dist. board 4 (see page 2) or	CEE 32 A	850,00
32415	<input type="checkbox"/>	15 kW (230 V/ 400V, 50 Hz)	Dist. board 4 (see page 2) or	CEE 32 A	1.090,00
32420	<input type="checkbox"/>	20 kW (230 V/ 400V, 50 Hz)	CEE 32 A		1.150,00

Item no.	Please mark	Main connection	EUR/Unit	Item no.	Please mark	Main connection	EUR/Unit
32430	<input type="checkbox"/>	30 kW (230 V / 400 V, 50 Hz)	1.550,00	32485	<input type="checkbox"/>	85 kW (230 V/ 400 V, 50 Hz)	3.550,00
32440	<input type="checkbox"/>	40 kW (230 V / 400 V, 50 Hz)	1.850,00	32510	<input type="checkbox"/>	100 kW (230 V/ 400 V, 50 Hz)	4.090,00
32450	<input type="checkbox"/>	50 kW (230 V / 400 V, 50 Hz)	2.350,00	32525	<input type="checkbox"/>	125 kW (230 V/ 400V, 50 Hz)	4.990,00
32465	<input type="checkbox"/>	65 kW (230 V / 400 V, 50 Hz)	3.150,00	32550	<input type="checkbox"/>	150 kW (230 V/ 400V, 50 Hz)	5.990,00

Please note: Depending on model and type of stand construction, stand may require connection to the protective conductor (earthing / equipotential bonding) in accordance with DIN VDE 0100 (see also "Notice Electrical Installation Work on Exhibition Stands").

Yes, electrical equipment/exhibits will be operated with a frequency converter.

No, we will need a special distribution system. Please call me.

We will supply our own primary distribution system:

YES, Our distributor is equipped with a master switch and a 30 mA RCD (residual current device).

Phone no. _____

Power for stand-building purposes will be required from _____ to _____

We will need the following transfer point connection:

_____ CEE terminal

Ort, Datum

Firmenstempel und rechtsgültige Unterschrift des Ausstellers


Please note: The cost of power consumed by the various electrical connections are included in the main electrical connection. A surcharge (item no. 32853) of EUR 150.00 will be raised for orders/plans submitted later than 5 calendar days before the official start of the set-up period.

To facilitate installation of a main electrical connection, a ground plan (page 3) must be submitted.

Explanation for panel boards for main electrical connection

Below you will see descriptions and schematic representations for distributor panel 4, included with main electrical connections 5 kW up to 15 kW. If a CEE 32 A adapter is ordered together with a main electrical connection up to 15 kW prior to the commencement of the event, the subsequent ordering of distribution board 4 (during the stand set-up period) will result in costs of EUR 190.00 per unit.

Up to 15 kW max.

Distributor panel 4	Quantity
 <p>1 CEE outlet (16 A) for 230 V/400 V 50 Hz three-phase connections, 2 AC outlets (16 A) 1 AC outlet (6 A) for continuous power supply (e.g. refrigerator, fax machine)</p> <p>Panel box dimensions: W = 276 mm H = 637 mm D = 211 mm</p>	

Additional distributor panels for main electrical connection

These distribution boards will be charged in addition to the connection price. Unfortunately, we are unable to offer a credit note for distribution board 4. All electric distributions are fitted with a master switch and circuit breakers with tripping characteristic B. Customer-specific main distribution systems can also be arranged upon request.

Menge	Pos.-Nr.	E-Verteilung	Beschreibung	EUR/Stk.
	32602	Module 2	up to max. 15 kW, 5 AC outlets (16 A), 1 AC outlet (6 A) with RCD 30 mA (residual current device)	190,00€
	32603	Module 3	up to max. 20 kW, 9 AC outlets (16 A), 1 AC outlet (6 A) with RCD 30 mA (residual current device)	450,00€
	32605	Module 5	2 CEE outlets 16 A (230 V / 400 V, 50 Hz three-phase connections) with RCD 30 mA (residual current device)	290,00€
	32606	Module 6	2 CEE outlets 16 A (230 V / 400 V, 50 Hz three-phase connections) without RCD 30 mA (residual current device), (circuit breaker with tripping characteristic C), For machine connection.	150,00€
	32607	Module 7 from 30 kW	2 CEE outlets 32 A 16 A (230 V / 400 V, 50 Hz three-phase connections) with RCD 30 mA (residual current device)	350,00€
	32608	Module 8 from 30 kW	2 CEE outlets 32 A 16 A (230 V / 400 V, 50 Hz three-phase connections) without RCD 30 mA (residual current device)	190,00€
	32609	Module 9 from 30 kW	up to max. 40 kW, 9 AC outlets (16 A), 1 AC outlet (6 A), 1 CEE outlet 16 A (230 V / 400 V, 50 Hz three-phase connections) with RCD 30 mA (residual current device)	490,00€
	32610	Module 10 from 30 kW	up to max. 40 kW, 18 AC outlets (16 A), 2 AC outlets (6 A), 2 CEE outlets 16 A with RCD 30 mA (residual current device)	590,00€

Electricity connection and supply conditions

1. Please use this form to order electricity main connection in the outdoor area or the loading yards. Orders and stand diagrams must be submitted no later than six weeks prior to the beginning of stand assembly to Messe München GmbH, Technical Exhibition Services Division (TAS). No guarantee can be given for the timely completion of installations applied for after this deadline.
2. A surcharge (item no. 32853) amounting to EUR 150.00 will be raised for orders/plans submitted later than five calendar days before the official commencement of the set-up period. Electrical installations are provided on a rental basis only.
3. Power supply lines will be installed at ground level up to the power supply transfer point (ordered via this form) that is also located at ground level. Electrical installations within the stand and downstream of the transfer point between Messe München GmbH and the exhibitor may be carried out by the exhibitor's own electricians or specialist electrical contractors (see also form 3.3).
4. **The ordering party declares that he and the companies appointed by him will during the stand setup period, the duration of the fair and the stand dismantling period, comply with all statutory and insurance-related requirements. These include the provisions set out in the BayBO, TRBS 1201, VDE 0100, BGV A1, BGV A 3 and BGI 608 as well as the special terms laid down by Messe München. Work on electrical installations may only be carried out by qualified electricians in accordance with TRBS 1201. All distributors used must be protected via a master switch and a TYPE A UAn ≤ 30 mA RCD (residual current device). If frequency converters, alternators without transformers, EMC filters or other electronic components capable of generating stationary, variable or transient leakage current or DC residual current in excess of 6 mA are connected, TYPE B (SK) or B+ RCDs, or for 2-pin electrical appliances TYPE F RCDs are to be used. Serious violation of the regulations (e.g. VDE 0100) will result in the power supply being cut off. In such cases, no refund shall be due on the costs of installations already completed. Charges for the main connection will be invoiced in every case.**
5. All electrical installations of exhibition stands will be inspected by an expert for compliance with the regulations currently effective in Munich. Any deficiencies found are to be immediately rectified. Costs for the inspection by specialists are included in the connection price.
6. **The list of dimensions and tolerances supplied to the exhibitor or ordering party should be reviewed, countersigned and returned as soon as possible. This list will be subsequently used for invoicing purposes. Grievances pertaining to the scope of products and services provided must be addressed to Messe München GmbH's TAS prior to stand disassembly in order to allow the opportunity for an appropriate assessment. Subsequent complaints regarding the scope of products or services will not be acknowledged.**
7. Repair work conducted on equipment not installed by Messe München GmbH will no longer be carried out by Messe München's service partners for insurance reasons. A voluntary decision will be taken by the service partners in emergencies, but any work conducted will be invoiced according to actual cost.
8. Orders may be withdrawn up to 14 days before the general stand setup period begins. The services provided up until this point in time are to be remunerated. After this time, Messe München GmbH is entitled but not obliged to provide the services ordered. The additionally provided services are to be remunerated. Any amendment thus constitutes a cancellation of the original order and placement of an additional order.
9. The exhibitor is obliged to disconnect the power supply daily after the exhibition closes, using the master switch incorporated in the main connection. Circuits for devices needing a continuous current supply (separate outlets and circuits required) are exempt. The exhibitor shall be fully liable for the electrical installation and use thereof within his stand area. **For safety reasons, Messe München GmbH reserves the right to switch off the entire power supply to exhibitors once the event has ended.**
10. MunichExpo Veranstaltungen GmbH's General Terms of Contract for Exhibitor Services apply additionally.